

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for distributing information in a computer network, the method comprising:

dividing, by a master server, an electronic file into a plurality of file pieces, wherein the server maintains a complete copy of the electronic file;

downloading, by the master server, all of said file pieces to a plurality of client machines, wherein the client machines function as peer-to-peer servers for other client machines requesting said file pieces, wherein each peer-to-peer server stores a unique file piece of said file pieces which is not stored on other of the peer-to-peer servers;

receiving, by the master server, a request for a file piece from a first client machine;

downloading, by the master server, the requested file piece to the first client machine;

receiving, by the master server, a request for said file piece from a second client machine; [[and]]

if said file piece requested from the second client machine has previously been downloaded by the master server to the first client machine responsive to the request for said file piece from the first client machine, redirecting the request of the second client machine to the first client machine, wherein the redirecting step is performed by the master server; and

if said file piece requested from the second client machine has not previously been downloaded by the master server to the first client machine, processing the request for said file piece from the second client machine by the master server in lieu of redirecting the request of the second client machine to the first client machine.

2-3. (Cancelled)

4. (Currently Amended) The method according to claim [[2]] 1, further comprising:

receiving a request for a file piece stored in a first peer-to-peer server which is no longer connected to the computer network;

redirecting said request to a second peer-to-peer server containing a copy of said file piece; and

removing the first peer-to-peer server from a list of available peer-to-peer servers.

5. (Currently Amended) The method according to claim [[2]] 1, further comprising:
 - sending a digest for a given file piece to each client machine which has received the given file piece; and
 - determining whether said given file piece is corrupted using the digest.
6. (Previously Presented) The method according to claim 5, further comprising:
 - receiving a message from a client, wherein the message indicates that a peer-to-peer server has corrupted said given file piece;
 - disconnecting the peer-to-peer server responsible for corrupting said given file piece; and
 - retransmitting said given file piece to said client, wherein the retransmitted file piece is free of any corrupting content.
7. (Currently Amended) A method for distributing information in a computer network, the method comprising:
 - requesting, by a first machine, one of a plurality of pieces of an electronic file from a server, wherein the electronic file is stored in the server, and wherein the first machine sends a request for the one of the plurality of pieces to the server;
 - receiving, by the first machine, the requested file piece from the server;
 - receiving, by the first machine, a request for another file piece from a second machine, wherein the request for said another file piece is conditionally redirected from the server to the first machine based upon whether the server has previously provided said another file piece to the first machine; and then
 - sending, by the first machine, said another file piece to said second machine.
8. (Currently Amended) A method for obtaining distributed information in a computer network, the method comprising:
 - requesting, by a first machine, one of a plurality of pieces of an electronic file from a server, wherein the electronic file is stored in the server, and wherein the first machine sends a request for the one of the plurality of pieces to the server;
 - receiving, by the first machine and without further request of the requested file piece by the first machine, the requested file piece from a second machine containing a copy of said file piece in lieu of receiving the requested file piece from the server, the copy of said file piece on the second machine being the result of a previous request for the file piece from the second machine to the server and receipt of the file piece from the server to the second machine.

9. (Currently Amended) A computer program product in a recordable-type computer readable medium for use in a data processing system, for distributing information in a computer network, the computer program product comprising:

instructions for dividing, by a master server, an electronic file into a plurality of file pieces;

instructions for downloading, by the master server, all of said file pieces to a plurality of client machines, wherein the client machines function as peer-to-peer servers for other client machines requesting said file pieces, wherein each peer-to-peer server stores a unique file piece of said file pieces which is not stored on other of the peer-to-peer servers;

instructions for receiving, by the master server, a request for a file piece from a first client machine;

instructions for downloading, by the master server, the requested file piece to the first client machine;

instructions for receiving, by the master server, a request for said file piece from a second client machine; [[and]]

instructions for redirecting, by the master server, the request of the second client machine to the first client machine if said file piece requested from the second client machine has previously been downloaded by the master server to the first client machine responsive to the request for said file piece from the first client machine; and

instructions for processing the request for said file piece from the second client machine by the master server which maintains a complete copy of the electronic file, in lieu of redirecting the request of the second client machine to the first client machine, if said file piece requested from the second client machine has not previously been downloaded to the first client machine.

10-11. (Cancelled)

12. (Currently Amended) The computer program product according to claim [[10]] 9, further comprising:

instructions for receiving a request for a file piece stored in a first peer-to-peer server which is no longer connected to the computer network;

instructions for redirecting said request to a second peer-to-peer server containing a copy of said file piece; and

instructions for removing the first peer-to-peer server from a list of available peer-to-peer servers.

13. (Currently Amended) The computer program product according to claim [[10]] 9, further comprising:

instructions for sending a digest for a given file piece to each client machine which has received the given file piece; and

instructions for determining whether said given file piece is corrupted using the digest.

14. (Previously Presented) The computer program product according to claim 13, further comprising:

instructions for receiving a message from a client, wherein the message indicates that a peer-to-peer server has corrupted said given file piece;

instructions for disconnecting the peer-to-peer server responsible for corrupting said given file piece; and

instructions for retransmitting said given file piece to said client, wherein the retransmitted file piece is free of any corrupting content.

15. (Currently Amended) A computer program product in a recordable-type computer readable medium for distributing information in a computer network, the computer program product comprising instructions for execution by a second client machine, including:

instructions for ~~requesting~~ sending a request to a server for one of a plurality of pieces of an electronic file from [[a]] the server, wherein the electronic file is stored in the server;

instructions for receiving the requested file piece from the server;

instructions for receiving a request for another file piece from a client machine, wherein the request for said file piece is conditionally redirected from the server to the second client machine based upon whether the server has previously provided said another file piece to the second client machine; and

instructions for sending said another file piece to said client machine.

16. (Currently Amended) A computer program product in a recordable-type computer readable medium for obtaining distributed information in a computer network, the computer program product comprising instructions for execution by a second client machine, including:

instructions for ~~requesting~~ sending a request to a server for one of a plurality of pieces of an electronic file from [[a]] the server, wherein the electronic file is stored in the server;

instructions for receiving, without further request of the requested file piece by the second machine, the requested file piece from a client machine containing a copy of said file piece in lieu of receiving the requested file piece from the server, the copy of said file piece on the second machine being

the result of a previous request for the file piece from the second machine to the server and receipt of the file piece from the server to the second machine.

17. (Currently Amended) A master server system for distributing information in a computer network, the system comprising:

a dividing component of the master server which divides an electronic file into a plurality of file pieces;

a download component of the master server which downloads all of said file pieces to a plurality of client machines, wherein the client machines function as peer-to-peer servers for other client machines requesting said file pieces, wherein each peer-to-peer server stores a unique file piece of said file pieces which is not stored on other of the peer-to-peer servers;

a first receiver of the master server which receives a request for a file piece from a first client machine;

a communications component of the master server which downloads the requested file piece to the first client machine;

a second receiver of the master server which receives a request for said file piece from a second client machine; [[and]]

a redirecting component of the master server which redirects the request of the second client machine to the first client machine if said file piece requested from the second client machine has previously been downloaded to the first client machine responsive to the request for said file piece from the first client machine; wherein the master server maintains a complete copy of the electronic file, and wherein the communication component of the master server downloads said requested file piece of the second client machine if said file piece requested from the second client machine has not previously been downloaded by the master server to the first client machine, in lieu of redirecting the request of the second client machine to the first client machine by the redirecting component of the master server.

18. (Currently Amended) A system for distributing information in a computer network, wherein the computer network has a first machine, a client machine and a server coupled thereto, the system comprising:

a first component of [[a]] the first machine which requests one of a plurality of pieces of an electronic file from [[a]] the server by sending a request for the one of the plurality of pieces to the server, wherein the electronic file is stored in the server; and

a second component of the first machine which receives the requested file piece from the server, receives a request for another file piece from [[a]] the client machine, wherein the request for said another

file piece is conditionally redirected from the server to the first machine based upon whether the server has previously provided the another file piece to the first machine, and sends said another file piece to said client machine.

19. (Currently Amended) A system for obtaining distributed information in a computer network, the system comprising:

a communications component of a first machine requesting one of a plurality of pieces of an electronic file from a server by sending a request for the one of the plurality of pieces to the server, wherein the electronic file is stored in the server;

a receiver of the first machine which receives the requested file piece, without further request of the requested file piece by the first machine, from a second machine containing a copy of said file piece in lieu of receiving the requested file piece from the server, the copy of said file piece on the second machine being the result of a previous request for the file piece from the second machine to the server and receipt of the file piece from the server to the second machine.